

Serial No.: 10/079,935

**AMENDMENTS TO THE CLAIMS:**

The following listing of claims replaces all prior listings of claims in the present application.

**What is claimed is:**

**1. (currently amended) A copy management system, comprising:**

a storage media, which is stored with predetermined content, and which is attached with unique media identification information;

a user terminal device, which comprises copy means for copying the content stored in the storage media to a first storage device, and which transmits device identification information attached to the user terminal device together with the unique media identification information of the storage media;

a server device, which transmits copy enabling information for enabling copy of content corresponding to the unique media identification information against the user terminal device corresponding to the device identification information when receiving the unique media identification information and device identification information; and

a second storage device disposed on the user terminal device and adapted to be attached to and removed from the user terminal device;

wherein the user terminal device deletes the copy enabling information after copying the content; and

wherein the user terminal device transmits, as the device identification information, at least second device identification information attached uniquely to the second storage device.

Serial No.: 10/079,935

**2. (previously presented)** The copy management system according to claim 1, wherein  
the server device transmits the copy enabling information only once against one  
media identification information.

**3. (currently amended)** The copy management system according to claim 2, wherein  
the user terminal device further transmits, as the device identification information, at  
least one of terminal device identification information attached a user terminal device body,  
and first device identification information attached uniquely to the first storage device, ~~and~~  
~~second device identification information uniquely attached to a second storage device that~~  
~~includes the user terminal device.~~

**4. (previously presented)** The copy management system according to claim 1, wherein  
the server device transmits the copy enabling information encrypted by the device  
identification information, and  
the user terminal device decrypts the encrypted copy enabling information with the  
device identification information.

**5. (canceled)**

**6. (previously presented)** The copy management system according to claim 1, wherein  
the server device transmits an encryption key for encrypting the content to be copied;  
the user terminal device encrypts the content using the encryption key and copies the  
encrypted content to the first storage device, stores the encryption key in a predetermined

Serial No.: 10/079,935

storage means, and decrypts the content copied to the first storage device with the encryption key.

**7. (previously presented)** The copy management system according to claim 1, wherein the server device stores as media identification information that transmission of the copy enabling information is complete in a database, in a state of being associated with device identification information attached to each user's user terminal device, and overwrites old device identification information registered in the database with modified device identification information when the device identification information of the user terminal device is modified due to repair or exchange.

**8. (previously presented)** The copy management system according to claim 1, wherein the server device performs predetermined charge processing against a user who owns the user terminal device to which transmission of the copy enabling information is performed.

**9. (previously presented)** The copy management system according to claim 1, further comprising:  
intermediating server device, which intermediates in the transmission/reception of information between the user terminal device and the server device, and which performs charge processing for the user at least when copy enabling information is transmitted to the user terminal device.

Serial No.: 10/079,935

**10. (currently amended)** A computer readable storage media, which has been stored with a user terminal device information processing program and media identification information, the information processing program [[.]] comprising:

a step of reading out media identification information;

a step of reading out device identification information attached to a first storage device that includes the user terminal device used when a user performs copying of content stored in the storage media;

a step of transmitting to a server device at least the read out media identification information and device identification information;

a step of receiving copy enabling information for enabling copying of the content returned from the server device; and

a step of copying content stored in the storage media to the first storage device that includes the user terminal device using the received copy enabling information; and

a step of deleting the copy enabling information after copying the content;

wherein a second storage device is disposed on the user terminal device and adapted to be attached to and removed from the user terminal device; and

wherein the device identification information includes a second device identification number attached uniquely to the second storage device.

**11. (previously presented)** The computer readable storage media according to claim 10, wherein

the copy enabling information is encrypted by the transmitted device identification information, and

Serial No.: 10/079,935

the information processing program further comprises a step of decrypting the received copy enabling information using the device identification information.

12. (canceled)

13. (currently amended) The computer readable storage media according to claim 10, further comprising:

a step of receiving an encryption key for encrypting the content to be copied, which is transmitted from the server device;

a step of encrypting with the encryption key the content and copying the encrypted content;

a step of storing the encryption key in a storage means; and

a step of decrypting the copied content with the ~~pre-encryption~~ encryption key stored in the storage means.

14. (currently amended) The computer readable storage media according to claim 10, wherein

the device identification information is further at least one of terminal device identification information attached to the user terminal device, and the identification information attached uniquely to the first storage device, ~~and a second device identification number attached uniquely to a second storage device that includes the user terminal device.~~

15-26. (canceled)

Serial No.: 10/079,935

**27. (currently amended)** A user terminal device information processing program to be executed by a computer, comprising:

a step of reading out media identification information from a storage media, the storage media storing predetermined content and having unique media identification information attached;

a step of reading out device identification information attached to a device that includes a user terminal device used when a user performs copying of the content;

a step of transmitting to a server device at least the read-out media identification information and read-out device identification information;

a step of receiving copy enabling information for enabling copying of the content returned from the server device; and

a step of copying content stored in the storage media to a first storage device that includes the user terminal device using the received copy enabling information; and

a step of deleting the copy enabling information after copying the content;

wherein a second storage device is disposed on the user terminal device and adapted to be attached to and removed from the user terminal device; and

wherein the device identification information includes a second device identification number attached uniquely to the second storage device.

**28. (canceled)**

**29. (currently amended)** A copy management method comprising the steps of:

transmitting to a server device[[,]] device identification information attached to a device that comprises a user terminal device, together with media identification information

Serial No.: 10/079,935

when copying content stored in a storage media having uniquely attached the media identification information;

detecting by the server device whether the media identification information that is transmitted from the user terminal device is registered in a database registered with media identification information of storage media having the content thereof copied in a state of being associated with corresponding device identification information; and

transmitting copy enabling information for enabling copying of the content from the server device to the user terminal device corresponding to the transmitted device identification information when detecting that the media identification information is not registered;

wherein the user terminal device deletes the copy enabling information after copying the content;

wherein the content stored in the storage media is copied to a first storage device;

wherein a second storage device is disposed on the user terminal device and adapted to be attached to and removed from the user terminal device; and

wherein the device identification information includes a second device identification number attached uniquely to the second storage device.

30. (previously presented) The computer readable storage media according to claim 10, wherein the information processing program further comprises:

a step of intermediating by a server device in the transmission/reception of information between the user terminal device and the server device; and

a step of charge processing by the server device for the user at least when copy enabling information is transmitted to the user terminal device.

Serial No.: 10/079,935

**31. (previously presented)** The user terminal device information processing program according to claim 27, to be executed by a computer, further comprising:

a step of intermediating by a server device in the transmission/reception of information between the user terminal device and the server device; and

a step of charge processing by the server device for the user at least when copy enabling information is transmitted to the user terminal device.

**32. (previously presented)** The copy management method of claim 29, further comprising the steps of:

intermediating by a server device in the transmission/reception of information between the user terminal device and the server device; and

charge processing by the server device for the user at least when copy enabling information is transmitted to the user terminal device.